

Element	Name	Analysis	Setpoint	Unit	Group
Al	Aluminium	.00	0 - 60	Bµg/l	Unwanted heavy metals
Sb	Antimony	.00	0	Bµg/l	Unwanted heavy metals
As	Arsenic	.00	0	Bµg/l	Unwanted heavy metals
Bi	Bismuth	.00	0	Bµg/l	Unwanted heavy metals
Pb	Lead	.00	0	Bµg/l	Unwanted heavy metals
Cd	Cadmium	.00	0	Bµg/l	Unwanted heavy metals
Cs	Caesium	.00	0	Bµg/l	Unwanted heavy metals
Ga	Gallium	.00	0	Bµg/l	Unwanted heavy metals
In	Indium	.00	0	Bµg/l	Unwanted heavy metals
Cu	Copper	.00	0	Bµg/l	Unwanted heavy metals
La	Lanthanum	.00	0	Bµg/l	Unwanted heavy metals
Hg	Mercury	.00	0	Bµg/l	Unwanted heavy metals
Sc	Scandium	.00	0	Bµg/l	Unwanted heavy metals
Ag	Silver	.00	0.1	Bµg/l	Unwanted heavy metals
Se	Selenium	.00	0	Bµg/l	Unwanted heavy metals
Te	Tellurium	.00	0	Bµg/l	Unwanted heavy metals
Ti	Titanium	.00	0	Bµg/l	Unwanted heavy metals
W	Tungsten	.00	0	Bµg/l	Unwanted heavy metals
Sn	Tin	.00	0	Bµg/l	Unwanted heavy metals
Cl	Chlorid	19913.00	19500	mg/l	Macro-Elements
Na	Sodium	10870.00	10000 - 11300	mg/l	Macro-Elements
Ca	Calcium	497.00	415 - 520	mg/l	Macro-Elements
Mg	Magnesium	1381.00	1320 - 1500	mg/l	Macro-Elements
K	Potassium	396.00	380 - 480	mg/l	Macro-Elements
Br	Bromide	63.00	64	mg/l	Macro-Elements
B	Boron	4.00	4.5	mg/l	Macro-Elements
F	Fluorid	.75	1.3	mg/l	Macro-Elements
Sr	Strontium	11.00	8 - 12	mg/l	Macro-Elements
S	Sulphur	902.00	900	mg/l	Macro-Elements
Li	Lithium	226.00	200	Bµg/l	Li-Group
Ni	Nickel	.00	5	Bµg/l	Li-Group
Mo	Molybdenum	4.00	12	Bµg/l	Li-Group
V	Vanadium	.00	0 - 3	Bµg/l	I-Group
Zn	Zinc	.00	0 - 5	Bµg/l	I-Group
Mn	Manganese	.00	0 - 3	Bµg/l	I-Group
I	Iodine	37.00	30 - 90	Bµg/l	I-Group
Cr	Chromium	.00	0	Bµg/l	Fe-Group
Co	Cobalt	.00	0	Bµg/l	Fe-Group
Fe	Iron	.00	0	Bµg/l	Fe-Group
Ba	Barium	8.00	0 - 10	Bµg/l	Ba-Group
Be	Beryllium	.00	0	Bµg/l	Ba-Group
Si	Silicon	428.00	0 - 200	Bµg/l	Si-Group
P	Phosphorus	9.00	6 - 23	Bµg/l	Nutrient-Group
PO4	Phosphate	.028	0.018 - 0.07	mg/l	Nutrient-Group
Sal	Salinity	35.177	35 PSU	PSU	Salinity